	Hits	Search Text	DBs
1		((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/764) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/848) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.	USPAT
2	53619	((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	9088	<pre>same retriev\$4) and (@ad &lt; "20011221")) and (director\$3 and (higher or above or upper or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	2152	"20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	1868	(((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1)) and (drive\$1 or (server\$1 with name\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	4906	referenc\$4 with director\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7		((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1)) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/90.01) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/771-772) or (345/764) or (345/771-772) or (345/848) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8		(((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (345/418) or (345/440) or (345/771-772) or (345/840) or (345/771-772) or (345/810) or (345/835) or (345/839) or (345/848) or (345/961) or (345/965)).CCLS.)) and (referenc\$4 with director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

((((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1)) and (drive\$1 or (server\$1 with name\$1)) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/93.01) or (379/96.11) or (379/93.01) or (379/97.1) or (382/112) or (382/190) or (345/418) or (345/440) or (345/700) or (345/840) or (345/835) or (345/848) or (345/853) or (345/848) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1))		Hits	Search Text	DBs
	9	140	file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/90.01) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/771-772) or (345/840) or (345/853) or (345/848) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or	US-PGPUB; EPO; JPO; DERWENT;

.

	Hits	Search Text	DBs
10	35	or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hita Goodh Mont		
	Hits	Search Text	DBs
11	4	(705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	68	; (,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

-

	Hits	Search Text	DBs
13	17	(((((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (715/530-531) or (705/1) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (345/440) or (345/770) or (345/440) or (345/771-772) or (345/840) or (345/853) or (345/848) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1)) and publish\$6) and (referenc\$4 with director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Hits	Search Text	DBs
14 68	((((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1)) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/90.01) or (379/93.01) or (379/90.01) or (345/440) or (345/700) or (345/840) or (345/853) or (345/840) or (345/853) or (345/848) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.)) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1)) and publish\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

.

•

	Hits	Search Text	DBs
15	50	("5291405") or ("5392447") or ("5557515") or ("5619571") or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	1457	(((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	463	((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
18	429	<pre>(((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad &lt; "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	118	<pre>((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad &lt; "20011221")) and (director\$3 with   (higher or above or upper or   superior or advanced or elevated)))   and (paths or ((first and second)   adj path\$1))) and (drive\$1 or   (server\$1 with name\$1))) and   (drive\$1 with (design\$5 or title\$1   or name\$1 or description\$1 or   term\$1 or label\$1 or alias\$3 or   nickname\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	118	<pre>(((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad &lt; "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1)) and (drive\$1 or (server\$1 with name\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

•

	Hits	Search Text	DBs
21	79	<pre>((((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad &lt; "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1))) and (drive\$1 or (server\$1 with name\$1))) and (referenc\$4 with director\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	0	<pre>((((((((((((((((((((((((((((((((((((</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	7	((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and ((first and second) adj path\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
24		<pre>(((((((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad &lt; "20011221")) and (director\$3 with (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1))) and (drive\$1 or (server\$1 with name\$1))) and (drive\$1 with (design\$5 or title\$1 or name\$1 or description\$1 or term\$1 or label\$1 or alias\$3 or nickname\$1)) and (drive\$1 or (server\$1 with name\$1))) and (referenc\$4 with director\$3)) and ((higher or above) adj director\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	50	(("6330073") or ("5884309") or ("6442571") or ("6154751") or ("6415278") or ("5668897") or ("6105042") or ("5210824") or ("5351276") or ("5438662") or ("5446740") or ("5452379") or ("5568489") or ("5724574") or ("5760775") or ("5790119") or ("5845301") or ("5872569") or ("6016494") or ("6070177") or ("6092091") or ("6092067") or ("6026416") or ("5280609") or ("5300943") or ("5280609") or ("5300943") or ("5392447") or ("5291405") or ("5392447") or ("5557515") or ("5619571") or ("5737533") or ("5812995") or ("5831631") or ("5877963") or ("5893908") or ("5973693") or ("5999968") or ("6002853") or ("6016491") or ("6064977") or ("6154840") or ("6161102") or ("6154840") or ("6301660")).PN.	USPAT
26	845	director\$3 with higher	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
27	70	search\$4 with director\$3 with higher	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	7	(director\$3 with higher) and (((((((document\$1 or page\$1 or file\$1) same retriev\$4) and (@ad < "20011221")) and (director\$3 and (higher or above or upper or superior or advanced or elevated))) and (paths or ((first and second) adj path\$1)) and (drive\$1 or (server\$1 with name\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-205) or (700/223) or (715/500) or (715/512-514) or (705/7-9) or (709/200) or (709/217) or (709/246-247) or (399/75) or (399/82) or (358/400) or (358/403) or (379/88.17) or (379/67.1) or (379/93.01) or (379/90.01) or (382/112) or (382/190) or (345/418) or (345/440) or (345/771-772) or (345/840) or (345/835) or (345/839) or (345/848) or (345/853) or (345/848) or (345/961) or (345/965)).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

•

	Hits	Search Text	DBs
29	7	( , = 0 , 0 0 0	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB